

Integrity Seating Collection

For Healthcare Environments

Product Specifications



Construction

- Fully welded chair frame is constructed of 14 gauge 1 1/2 x 1/2", 1 1/2 x 3/4" and 1 x 1" steel tubing, and 1/8" and 3/16" thick formed steel components and powder coated for long life.
- Contoured back panel is constructed of laminated, high density hardwood veneers using a RF process and a UF resin with very low offgas emissions
- Plywood seat panel is covered with a hytrel elastomer composite that retains its original shape for long life and enhanced comfort
- Foam contains environmental-friendly bio- based materials, and is California TB117-2013 Compliant. Hi-resiliency foam resists flattening for longer life and enhanced comfort
- Polyurethane arms are self skinning (ISKIN) foam overmolded on a steel insert. These arms are treated with an antimicrobial agent for healthcare applications, and may be disinfected with diluted hydrogen peroxide, alcohol and bleach solutions
- Durable non-marking nylon glides
- Optionally available non-marking adjustable steel/nylon glides

Features

- Limited Lifetime Warranty
- Fully welded 14-gauge powder-coated steel frame
- Available in 21" and 31" seat widths
- Arm/Leg connection sealed to eliminate bacteria trap
- Seat and back cushions can be easily replaced if necessary
- Unique urethane arms designed for easy ingress and egress
- Clean-out spacing between seat and back

Options








- Contrasting fabrics
- Custom frame finishes
- Custom urethane arm finishes
- Coordinating tabletops available in solid surface
- Ganging clip
- Wall-saver frame
- CAL TB 133 Compliance
- Moisture Barrier

See next page for product dimensions, weights etc.

Integrity Seating Collection

For Healthcare Environments

Product Specifications

	Model #	Width	Height	Depth	Seat Height	Seat Width	Arm Height	COM Yard Back	COM Yard Seat	Weight	Weight* Rating
 Guest chair, armless	NTG100-AL	24	35	27	19	19.5	NA	1	0.75	33 lbs	500 lbs
 Guest chair, with arms	NTG110-WA	24	35	27	19	19.5	25.5	1.25	0.75	38 lbs	500 lbs
 Guest chair, with right arm	NTG110-RA	24.5	35	27	19	19.5	25.5	1.25	0.75	38 lbs	500 lbs
 Guest chair, with left arm	NTG110-LA	24.5	35	27	19	19.5	25.5	1.25	0.75	38 lbs	500 lbs
 Patient chair	NTP130	24.5	45.5	27	19.5	21	25.5	1.75	0.75	43 lbs	500 lbs
 Foot rest	NTFR	18.5	13	14	NA	NA	NA	NA	NA	12 lbs	NA
 Hip chair	NTH130	24	41	27	24.5	21	34	1	0.75	42 lbs	500 lbs









*Certified to BIFMA X5.4-2012 Standard. Weights listed below are extrapolated from the Seating Durability and Drop Text procedures of this standard. Contact customer service for more information.

Continued on next page

Integrity Seating Collection

For Healthcare Environments

Product Specifications

	Model #	Width	Height	Depth	Seat Height	Seat Width	Arm Height	COM Yard Back	COM Yard Seat	Weight	Weight* Rating
 Bariatric chair, armless	NTB120-AL	34	35	27	18	31	NA	1.75	1.25	42 lbs	750 lbs
 Bariatric chair, with arms	NTB120-WA	34.5	35	27	19	31	25.5	1.75	1.25	47 lbs	750 lbs
 Bariatric chair, with right arm	NTB120-RA	34.5	35	27	19	31	25.5	1.75	1.25	47 lbs	750 lbs
 Bariatric chair, with left arm	NTB120-LA	34.5	35	27	19	31	25.5	1.75	1.25	47 lbs	750 lbs
 Two-seater, no center arm	NT200-NCA	47.5	35	27	19	19.5	25.5	2	1.5	71 lbs	750 lbs
 Two-seater, with center arm	NT220-WCA	47.5	35	27	19	19.5	25.5	2	1.5	73.5 lbs	750 lbs
 Three-seater, no center arm	NT300-NCA	69	35	27	19	19.5	25.5	3	2.25	104 lbs	1000 lbs
 Three-seater, with center arm	NT330-WCA	69	35	27	19	19.5	25.5	3	2.5	109 lbs	1000 lbs

*Certified to BIFMA X5.4-2012 Standard. Weights listed below are extrapolated from the Seating Durability and Drop Text procedures of this standard. Contact customer service for more information.