

Vista II Seating Collection

For Healthcare Environments

Product Specifications



Construction

- Fully welded rugged chair frame is constructed of 14 gauge 1 1/2 x 1/2", 1 1/2 x 3/4" and 1 x 1" steel tubing, and 1/8" and 3/16" thick formed steel components and powder coated for long life. Bariatric versions have corner gussets added for additional strength
- Contoured back panel is constructed of laminated, high density hardwood veneers using a RF process and a UF resin with very low offgas emissions
- Plywood seat panel is covered with a hytel elastomer composite that retains its original shape for long life and enhanced comfort
- Cut foam contains environmental-friendly bio-based materials, and is California TB117-2013 Compliant. Hi-resiliency foam resists flattening for longer life and enhanced comfort
- Optionally available polyurethane arm caps self skinning (SKIN) foam overmolded on a steel insert. These arm caps are treated with an antimicrobial agent for healthcare applications, and may be disinfected with diluted hydrogen peroxide, alcohol and bleach solutions
- Durable non-marking nylon glides
- Optionally available rugged non-marking adjustable steel/nylon glides

Features

- Limited Lifetime Warranty
- Fully welded 14-gauge powder-coated steel frame
- Available in 21" and 31" seat widths
- Arm/Leg connection sealed to eliminate bacteria trap
- Seat and back cushions can be easily replaced if necessary
- Unique urethane arms designed for easy ingress and egress
- Clean-out spacing between seat and back

Options









- Contrasting fabrics
- Custom frame finishes
- Custom urethane arm finishes
- Coordinating tabletops available in solid surface
- Ganging clip
- Wall-saver frame
- CAL TB 133 Compliance
- Moisture Barrier

See next page for product dimensions, weights etc.

Vista II Seating Collection

For Healthcare Environments

Product Specifications

	Model #	Width	Height	Depth	Seat Height	Seat Width	Arm Height	COM Yard Back	COM Yard Seat	Weight	Weight* Rating
 Guest chair, 21" seat	SV200-21	23.5	35		18.5	21	26	1.25	0.75	38 lbs	500 lbs
 Guest chair, 24" seat	SV200-24	26.5	35		18.5	24	26	1.25	0.75	38 lbs	500 lbs
 Bariatric chair, 31" seat	SV210	35.5	35		18.5	31	26.5	1.75	1.25	50 lbs	750 lb
 Highback chair, 21" seat	SV240-21	23.5	45.5	26.5	18.5	21	26	1.75	0.75	46 lbs	500 lbs
 Highback chair, 24" seat	SV240-24	26.3	45.5	26.5	18.5	24	26	2	1	54 lbs	500 lbs
 Highback chair, 31" seat	SV240-31	33.5	45.5	26.5	18.5	31	26	2.25	1.25	56 lbs	500 lbs
 Foot stool	SV2FR	18.5	13	14	NA	NA	NA	NA	NA	15 lbs	NA
 Hip chair	SV250	23.5	41	26.5	24.5	21	32	1.25	0.75	46 lbs	500 lbs








*Certified to BIFMA X5.4-2012 Standard. Weights listed below are extrapolated from the Seating Durability and Drop Text procedures of this standard. Contact customer service for more information.

Continued on next page

Vista II Seating Collection

For Healthcare Environments

Product Specifications

	Model #	Width	Height	Depth	Seat Height	Seat Depth	Arm Height	COM Yard Back	COM Yard Seat	Weight	Weight* Rating
 Settee chair	SV200-42	44.5	35	26.5	18.5	42	26.5	2.5	1.5	64 lbs	750 lbs
 Two-seater, 21" seats	SV220N-21	44	35	26.5	18.5	21	26.5	2.5	1.5	62 lbs	750 lbs
 Two-seater, 24" seats	SV220N-24	50	35	26.5	18.5	24	26.5	2.5	1.5	62 lbs	750 lbs
 Two-seater, center half arm, 21" seats	SV200H-21	45	35	26.5	18.5	21	26.5	2.5	1.5	65 lbs	750 lbs
 Two-seater, center half arm, 24" seats	SV200H-24	51	35	26.5	18.5	24	26.5	2.5	1.5	65 lbs	750 lbs
 Two-seater, center arm, 21" seats	SV200F-21	45	35	26.5	18.5	21	26.5	2.5	1.5	68 lbs	750 lbs
 Two-seater, center arm, 24" seats	SV200F-24	51	35	26.5	18.5	24	26.5	2.5	1.5	68 lbs	750 lbs







*Certified to BIFMA X5.4-2012 Standard. Weights listed below are extrapolated from the Seating Durability and Drop Text procedures of this standard. Contact customer service for more information.

Continued on next page

Vista II Seating Collection

For Healthcare Environments

Product Specifications

	Model #	Width	Height	Depth	Seat Height	Seat Depth	Arm Height	COM Yard Back	COM Yard Seat	Weight	Weight* Rating
 Three-seater, 21\" data-bbox="81 301 171 311"/>	SV230N-21	64.5	35	26.5	18.5	21	26	3.75	2.25	86 lbs	1000 lbs
 Three-seater, 24\" data-bbox="81 381 171 391"/>	SV230N-24	73.5	35	26.5	18.5	24	26	3.75	2.25	86 lbs	1000 lbs
 Three-seater, center half arm, 21\" data-bbox="81 451 171 471"/>	SV230H-21	66.5	35	26.5	18.5	21	26	3.75	2.25	92 lbs	1000 lbs
 Three-seater, center half arm, 24\" data-bbox="81 531 171 551"/>	SV230H-24	75.5	35	26.5	18.5	24	26	3.75	2.25	92 lbs	1000 lbs
 Three-seater, center arm, 21\" data-bbox="81 611 171 631"/>	SV230F-21	66.5	35	26.5	18.5	21	26	3.75	2.25	98 lbs	1000 lbs
 Three-seater, center arm, 24\" data-bbox="81 691 171 711"/>	SV230F-24	75.5	35	26.5	18.5	24	26	3.75	2.25	98 lbs	1000 lbs

*Certified to BIFMA X5.4-2012 Standard. Weights listed below are extrapolated from the Seating Durability and Drop Text procedures of this standard. Contact customer service for more information.