



METAL BASE
FINISH –

MODEL
NUMBER –

METAL BASE
FINISH –

DRT20D16-U –CH

- GM** Gunmetal
- MB** Metallic Beige
- SB** Smooth Black
- SS** Smooth Silver
- TB** Textured Black
- TN** Textured Nickel

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U

DESCRIPTION –

Drum Table
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U	1798	1851	1903	1955	2007	2059	2113	2165

DRT20D20-U

DESCRIPTION –

Drum Table
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U	1865	1930	1993	2058	2123	2187	2252	2316

DRT24D16-U

DESCRIPTION –

Drum Table
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U	1931	2008	2084	2161	2239	2315	2393	2471

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

DRT24D20-U

DESCRIPTION -

Drum Table
24" x 20"



DIMENSIONS -

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 30

OPTIONS -

Moisture barrier +55
Power/USB A+C* +495



LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U	1997	2086	2175	2264	2354	2444	2536	2625

DRT30D16-U

DESCRIPTION -

Bora Table
30" x 16"



DIMENSIONS -

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS -

Moisture barrier +45
Power/USB A+C* +495



LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U	2063	2165	2265	2367	2471	2571	2675	2779

DRT30D20-U

DESCRIPTION -

Drum Table
30" x 20"



DIMENSIONS -

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS -

Moisture barrier +70
Power/USB A+C* +495



LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U	2127	2242	2356	2471	2586	2700	2814	2930

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U

DESCRIPTION –

Drum Table
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U	2254	2384	2511	2639	2768	2896	3025	3154

DRT36D20-U

DESCRIPTION –

Drum Table
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
Power/USB A+C* +495



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U	2381	2524	2665	2807	2951	3092	3236	3379

DRT42D16-U

DESCRIPTION –

Drum Table
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
Power/USB A+C* +495




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U	2507	2664	2820	2976	3133	3289	3445	3604

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 41

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2372	2423	2477	2528	2581	2632	2686	2738

DRT20D20-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 44

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2532	2596	2661	2726	2791	2854	2920	2985

DRT24D16-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 57

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2692	2768	2844	2923	3001	3077	3155	3234

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT24D20-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2852	2940	3029	3121	3210	3298	3390	3483

DRT30D16-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	3011	3111	3213	3319	3420	3521	3626	3732

DRT30D20-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	3170	3284	3399	3513	3629	3742	3858	3972

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

DRT36D16-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 115

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3392	3521	3649	3778	3906	4035	4164	4291

DRT36D20-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 118

OPTIONS –

Moisture barrier +85
Power/USB A+C* +495



LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3614	3756	3900	4041	4184	4327	4471	4615

DRT42D16-U-PL

DESCRIPTION –

Drum Table, plinth base
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 150

OPTIONS –

Moisture barrier +75
Power/USB A+C* +495



LOCATED
SIDE FRONT

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3838	3993	4150	4306	4463	4619	4775	4933

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

DRT20D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



LOCATED
TOP REAR

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	2056	2108	2160	2213	2264	2316	2369	2421

DRT20D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



LOCATED
TOP REAR

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	2122	2187	2251	2315	2381	2444	2510	2575

DRT24D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.5
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395



LOCATED
TOP REAR

POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	2243	2321	2397	2473	2550	2628	2706	2783

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

DRT24D20-U-S

DESCRIPTION –

Drum Table

With solid surface top

24" x 20"



DIMENSIONS –

Width 24

Height 20

COM Yard 2.5

Cubic Feet 7

Ship Weight 30

OPTIONS –

Moisture barrier +55

Power/USB A+C* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2310	2399	2487	2577	2667	2756	2848	2938

DRT30D16-U-S

DESCRIPTION –

Drum Table

With solid surface top

30" x 16"



DIMENSIONS –

Width 30

Height 16

COM Yard 2.75

Cubic Feet 8

Ship Weight 35

OPTIONS –

Moisture barrier +45

Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2431	2533	2632	2734	2838	2938	3043	3147

DRT30D20-U-S

DESCRIPTION –

Drum Table, solid surface top

With solid surface top

30" x 20"



DIMENSIONS –

Width 30

Height 20

COM Yard 2.75

Cubic Feet 10

Ship Weight 41

OPTIONS –

Moisture barrier +70

Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2495	2610	2724	2838	2954	3067	3182	3297

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 1.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2798	2927	3053	3183	3311	3440	3569	3697

DRT36D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 1.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	2925	3068	3209	3351	3493	3637	3780	3923

DRT42D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 2
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	3141	3297	3453	3609	3766	3922	4079	4237

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

DRT20D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 16"



DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 41

OPTIONS –

Moisture barrier +40

Power/USB A+C* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL-S	2630	2682	2734	2786	2838	2891	2943	2996

DRT20D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 20"



DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 44

OPTIONS –

Moisture barrier +40

Power/USB A+C* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL-S	2790	2853	2918	2983	3048	3112	3177	3242

DRT24D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 16"



DIMENSIONS –

Width 24

Height 16

COM Yard 2.25

Cubic Feet 5

Ship Weight 57

OPTIONS –

Moisture barrier +45

Power/USB A+C* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL-S	3005	3080	3157	3236	3313	3388	3460	3546

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT24D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 20"



DIMENSIONS –

Width 24

Height 20

COM Yard 2.25

Cubic Feet 7

Ship Weight 60

OPTIONS –

Moisture barrier +55

Power/USB A+C* +395



LOCATED TOP REAR



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	3165	3252	3341	3434	3522	3611	3702	3796

DRT30D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

30" x 16"



DIMENSIONS –

Width 30

Height 16

COM Yard 2.75

Cubic Feet 8

Ship Weight 85

OPTIONS –

Moisture barrier +45

Power/USB A+C* +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3379	3480	3581	3686	3787	3887	3993	4099

DRT30D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

30" x 20"



DIMENSIONS –

Width 30

Height 20

COM Yard 2.75

Cubic Feet 10

Ship Weight 90

OPTIONS –

Moisture barrier +70

Power/USB A+C* +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3536	3652	3765	3881	3995	4110	4224	4340

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 16"



DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 115

OPTIONS –

Moisture barrier +70

Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	3936	4064	4193	4321	4450	4579	4707	4835

DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 20"



DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 118

OPTIONS –

Moisture barrier +85

Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	4158	4300	4443	4585	4728	4871	5015	5158

DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

42" x 16"



DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier +75

Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	4470	4626	4784	4939	5096	5251	5409	5566