


Please include the model number with your order. If applicable, also provide upholstery choices, finishes, and any selected options.



METAL BASE
FINISH –



DRT20D16-U


METAL BASE
FINISH –

- Gunmetal
- Metallic Beige
- Smooth Black
- Smooth Silver
- Textured Black
- Textured Nickel

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U

DESCRIPTION –

Drum Table
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U	1852	1907	1960	2014	2067	2121	2176	2230

DRT20D20-U

DESCRIPTION –

Drum Table
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U	1921	1988	2053	2120	2187	2253	2320	2385

DRT24D16-U

DESCRIPTION –

Drum Table
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED
SIDE FRONT




POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U	1989	2068	2147	2226	2306	2384	2465	2545

Bora
Occasional Table Collection

All prices are in CA dollars (CAD).



DRT24D20-U

DESCRIPTION –

Drum Table
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 30

OPTIONS –

Moisture barrier +55
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U	2057	2149	2240	2332	2425	2517	2612	2704

DRT30D16-U

DESCRIPTION –

Bora Table
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U	2125	2230	2333	2438	2545	2648	2755	2862

DRT30D20-U

DESCRIPTION –

Drum Table
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U	2191	2309	2427	2545	2664	2781	2898	3018

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U

DESCRIPTION –

Drum Table
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U	2322	2456	2586	2718	2851	2983	3116	3249

DRT36D20-U

DESCRIPTION –

Drum Table
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U	2452	2600	2745	2891	3040	3185	3333	3480

DRT42D16-U

DESCRIPTION –

Drum Table
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U	2582	2744	2905	3065	3227	3388	3548	3712

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 41

OPTIONS –

Moisture barrier	+40
Power/USB A+C*	+495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2443	2496	2551	2604	2658	2711	2767	2820

DRT20D20-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 44

OPTIONS –

Moisture barrier	+40
Power/USB A+C*	+495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2608	2674	2741	2808	2875	2940	3008	3075

DRT24D16-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 57

OPTIONS –

Moisture barrier	+45
Power/USB A+C*	+495



LOCATED
SIDE FRONT




POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2773	2851	2929	3011	3091	3169	3250	3331

Bora
Occasional Table Collection

All prices are in CA dollars (CAD).



DRT24D20-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2938	3028	3120	3215	3306	3397	3492	3587

DRT30D16-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	3101	3204	3309	3419	3523	3627	3735	3844

DRT30D20-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	3265	3383	3501	3618	3738	3854	3974	4091

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 115

OPTIONS –

Moisture barrier	+70
Power/USB A+C*	+495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3494	3627	3758	3891	4023	4156	4289	4420

DRT36D20-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 118

OPTIONS –

Moisture barrier	+85
Power/USB A+C*	+495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3722	3869	4017	4162	4310	4457	4605	4753

DRT42D16-U-PL

DESCRIPTION –

Drum Table, plinth base
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 150

OPTIONS –

Moisture barrier	+75
Power/USB A+C*	+495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3953	4113	4275	4435	4597	4758	4918	5081

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT20D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
20" x 16"




DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	2118	2171	2225	2279	2332	2385	2440	2494

DRT20D20-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
20" x 20"




DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	2186	2253	2319	2384	2452	2517	2585	2652

DRT24D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
24" x 16"




DIMENSIONS –

Width 24
Height 16
COM Yard 2.5
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	2310	2391	2469	2547	2627	2707	2787	2866

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT24D20-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
24" x 20"




DIMENSIONS –

Width 24
Height 20
COM Yard 2.5
Cubic Feet 7
Ship Weight 30

OPTIONS –

Moisture barrier +55
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2379	2471	2562	2654	2747	2839	2933	3026

DRT30D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
30" x 16"




DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2504	2609	2711	2816	2923	3026	3134	3241

DRT30D20-U-S

DESCRIPTION –

Drum Table, Solid Surface top
With Solid Surface top
30" x 20"




DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2570	2688	2806	2923	3043	3159	3277	3396

Bora
Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 1.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2882	3015	3145	3278	3410	3543	3676	3808

DRT36D20-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 1.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	3013	3160	3305	3452	3598	3746	3893	4041

DRT42D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 2
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
Power/USB A+C* +395



LOCATED
TOP CENTER




POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	3235	3396	3557	3717	3879	4040	4201	4364

All prices are in CA dollars (CAD).



DRT20D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
20" x 16"




DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 41

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL-S	2709	2762	2816	2870	2923	2978	3031	3086

DRT20D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
20" x 20"




DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 44

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL-S	2874	2939	3006	3072	3139	3205	3272	3339

DRT24D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
24" x 16"




DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 57

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL-S	3095	3172	3252	3333	3412	3490	3564	3652

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT24D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
Power/USB A+C* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	3260	3350	3441	3537	3628	3719	3813	3910

DRT30D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3480	3584	3688	3797	3901	4004	4113	4222

DRT30D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3642	3762	3878	3997	4115	4233	4351	4470

Bora

Occasional Table Collection

All prices are in CA dollars (CAD).



DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 1.75
Cubic Feet 12
Ship Weight 115

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	4054	4186	4319	4451	4584	4716	4848	4980

DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 1.75
Cubic Feet 15
Ship Weight 118

OPTIONS –

Moisture barrier +85
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	4283	4429	4576	4723	4870	5017	5165	5313

DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 2
Cubic Feet 16
Ship Weight 150

OPTIONS –

Moisture barrier +75
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	4604	4765	4928	5087	5249	5409	5571	5733