



METAL BASE
FINISH –

MODEL
NUMBER –

METAL BASE
FINISH –


DRT20D16-U –CH

- GM** Gunmetal
- MB** Metallic Beige
- SB** Smooth Black
- SS** Smooth Silver
- TB** Textured Black
- TN** Textured Nickel

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U

DESCRIPTION -

Drum Table
20" x 16"



DIMENSIONS -

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS -

Moisture barrier +40
Power/USB A+C* +495



LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U	1730	1781	1830	1882	1931	1981	2033	2083

DRT20D20-U

DESCRIPTION -

Drum Table
20" x 20"



DIMENSIONS -

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS -

Moisture barrier +40
Power/USB A+C* +495



LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U	1794	1856	1918	1980	2043	2104	2167	2229

DRT24D16-U

DESCRIPTION -

Drum Table
24" x 16"



DIMENSIONS -

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 26

OPTIONS -

Moisture barrier +45
Power/USB A+C* +495



LOCATED SIDE FRONT

POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U	1857	1932	2006	2079	2154	2228	2303	2377

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U

DESCRIPTION –

Drum Table
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 30

OPTIONS –

Moisture barrier +55
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U	1922	2008	2093	2179	2266	2352	2439	2526

DRT30D16-U

DESCRIPTION –

Bora Table
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U	1986	2083	2180	2277	2378	2474	2575	2674

DRT30D20-U

DESCRIPTION –

Drum Table
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U	2046	2158	2267	2378	2489	2598	2708	2819

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U

DESCRIPTION –

Drum Table
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U	2169	2293	2416	2539	2663	2787	2911	3035

DRT36D20-U

DESCRIPTION –

Drum Table
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U	2292	2429	2564	2701	2839	2976	3114	3252

DRT42D16-U

DESCRIPTION –

Drum Table
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U	2413	2563	2714	2863	3015	3165	3316	3467

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 41

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2283	2332	2384	2433	2483	2533	2584	2634

DRT20D20-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 44

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2436	2498	2560	2623	2685	2747	2810	2872

DRT24D16-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 57

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2590	2663	2737	2813	2888	2960	3036	3112

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2744	2829	2915	3003	3089	3174	3262	3352

DRT30D16-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	2898	2995	3092	3193	3291	3387	3489	3591

DRT30D20-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	3050	3161	3271	3381	3492	3602	3712	3823

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 115

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3263	3387	3511	3635	3759	3883	4007	4130

DRT36D20-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 118

OPTIONS –

Moisture barrier +85
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3478	3614	3753	3889	4026	4164	4302	4440

DRT42D16-U-PL

DESCRIPTION –

Drum Table, plinth base
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 150

OPTIONS –

Moisture barrier +75
Power/USB A+C* +495



LOCATED SIDE FRONT POWER WITH 2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3693	3842	3993	4143	4295	4445	4595	4747

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
20" x 16"




DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	1978	2029	2078	2129	2179	2229	2280	2330

DRT20D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	2042	2104	2166	2228	2291	2352	2415	2477

DRT24D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.5
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	2158	2232	2306	2379	2454	2528	2603	2678

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.5
Cubic Feet 7
Ship Weight 30

OPTIONS –

Moisture barrier +55
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2223	2309	2393	2479	2566	2652	2739	2827

DRT30D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2339	2437	2534	2631	2731	2827	2928	3028

DRT30D20-U-S

DESCRIPTION –

Drum Table, solid surface top
With solid surface top
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2400	2512	2621	2731	2842	2951	3061	3172

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 1.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2693	2817	2938	3062	3187	3311	3435	3558

DRT36D20-U-S

DESCRIPTION –

Drum Table
With solid surface top
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 1.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	2814	2953	3088	3225	3362	3500	3637	3775

DRT42D16-U-S

DESCRIPTION –

Drum Table
With solid surface top
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 2
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	3022	3172	3323	3473	3625	3774	3925	4076

Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT20D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 16"



DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 41

OPTIONS –

Moisture barrier +40

Power/USB A+C* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL-S	2532	2581	2631	2681	2731	2781	2832	2882

DRT20D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 20"



DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 44

OPTIONS –

Moisture barrier +40

Power/USB A+C* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL-S	2685	2746	2808	2871	2933	2995	3058	3120

DRT24D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 16"



DIMENSIONS –

Width 24

Height 16

COM Yard 2.25

Cubic Feet 5

Ship Weight 57

OPTIONS –

Moisture barrier +45

Power/USB A+C* +395



LOCATED
TOP REAR



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL-S	2892	2964	3039	3114	3188	3261	3330	3413

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 20"



DIMENSIONS –

Width 24

Height 20

COM Yard 2.25

Cubic Feet 7

Ship Weight 60

OPTIONS –

Moisture barrier +55

Power/USB A+C* +395



LOCATED TOP REAR



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	3045	3129	3215	3304	3389	3474	3563	3652

DRT30D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

30" x 16"



DIMENSIONS –

Width 30

Height 16

COM Yard 2.75

Cubic Feet 8

Ship Weight 85

OPTIONS –

Moisture barrier +45

Power/USB A+C* +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3252	3348	3445	3547	3645	3740	3843	3945

DRT30D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

30" x 20"



DIMENSIONS –

Width 30

Height 20

COM Yard 2.75

Cubic Feet 10

Ship Weight 90

OPTIONS –

Moisture barrier +70

Power/USB A+C* +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3403	3514	3624	3735	3845	3955	4066	4177

Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 16"



DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 115

OPTIONS –

Moisture barrier +70

Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	3787	3910	4034	4158	4282	4406	4530	4653

DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 20"



DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 118

OPTIONS –

Moisture barrier +85

Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	4001	4137	4276	4413	4550	4687	4826	4963

DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

42" x 16"



DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier +75

Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	4302	4452	4603	4752	4904	5053	5205	5356