


Please include the model number with your order. If applicable, also provide upholstery choices, finishes, and any selected options.



METAL BASE
FINISH –



DRT20D16-U


METAL BASE
FINISH –

- Gunmetal
- Metallic Beige
- Smooth Black
- Smooth Silver
- Textured Black
- Textured Nickel

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U

DESCRIPTION –

Drum Table
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U	1782	1834	1885	1938	1989	2040	2094	2145

DRT20D20-U

DESCRIPTION –

Drum Table
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U	1848	1912	1976	2039	2104	2167	2232	2296

DRT24D16-U

DESCRIPTION –

Drum Table
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED
SIDE FRONT




POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U	1913	1990	2066	2141	2219	2295	2372	2448

Bora
Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U

DESCRIPTION –

Drum Table
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 30

OPTIONS –

Moisture barrier +55
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U	1980	2068	2156	2244	2334	2423	2512	2602

DRT30D16-U

DESCRIPTION –

Bora Table
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U	2046	2145	2245	2345	2449	2548	2652	2754

DRT30D20-U

DESCRIPTION –

Drum Table
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED
SIDE FRONT




POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U	2107	2223	2335	2449	2564	2676	2789	2904

Bora
Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U

DESCRIPTION –

Drum Table
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U	2234	2362	2488	2615	2743	2871	2998	3126

DRT36D20-U

DESCRIPTION –

Drum Table
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U	2361	2502	2641	2782	2924	3065	3207	3350

DRT42D16-U

DESCRIPTION –

Drum Table
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U	2485	2640	2795	2949	3105	3260	3415	3571

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 16"



DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 41

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2351	2402	2456	2506	2557	2609	2662	2713

DRT20D20-U-PL

DESCRIPTION –

Drum Table, plinth base
20" x 20"



DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 44

OPTIONS –

Moisture barrier +40
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2509	2573	2637	2702	2766	2829	2894	2958

DRT24D16-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 16"



DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 57

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED
SIDE FRONT




POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2668	2743	2819	2897	2975	3049	3127	3205

Bora
Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U-PL

DESCRIPTION –

Drum Table, plinth base
24" x 20"



DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2826	2914	3002	3093	3182	3269	3360	3453

DRT30D16-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 16"



DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	2985	3085	3185	3289	3390	3489	3594	3699

DRT30D20-U-PL

DESCRIPTION –

Drum Table, plinth base
30" x 20"



DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
Power/USB A+C* +495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS


*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	3142	3256	3369	3482	3597	3710	3823	3938

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 2.75
Cubic Feet 12
Ship Weight 115

OPTIONS –

Moisture barrier	+70
Power/USB A+C*	+495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3361	3489	3616	3744	3872	3999	4127	4254

DRT36D20-U-PL

DESCRIPTION –

Drum Table, plinth base
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 2.75
Cubic Feet 15
Ship Weight 118

OPTIONS –

Moisture barrier	+85
Power/USB A+C*	+495



LOCATED
SIDE FRONT



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3582	3722	3866	4006	4147	4289	4431	4573

DRT42D16-U-PL

DESCRIPTION –

Drum Table, plinth base
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 3.25
Cubic Feet 16
Ship Weight 150

OPTIONS –

Moisture barrier	+75
Power/USB A+C*	+495



LOCATED
SIDE FRONT




POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3804	3957	4113	4267	4424	4578	4733	4889

Bora
Occasional Table Collection

All prices are in US dollars (USD).



DRT20D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
20" x 16"




DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 19

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	2037	2090	2140	2193	2244	2296	2348	2400

DRT20D20-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
20" x 20"




DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 23

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	2103	2167	2231	2295	2360	2423	2487	2551

DRT24D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
24" x 16"




DIMENSIONS –

Width 24
Height 16
COM Yard 2.5
Cubic Feet 5
Ship Weight 26

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	2223	2299	2375	2450	2528	2604	2681	2758

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
24" x 20"




DIMENSIONS –

Width 24
Height 20
COM Yard 2.5
Cubic Feet 7
Ship Weight 30

OPTIONS –

Moisture barrier +55
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2290	2378	2465	2553	2643	2732	2821	2912

DRT30D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
30" x 16"




DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 35

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2409	2510	2610	2710	2813	2912	3016	3119

DRT30D20-U-S

DESCRIPTION –

Drum Table, Solid Surface top
With Solid Surface top
30" x 20"




DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 41

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2472	2587	2700	2813	2927	3040	3153	3267

Bora
Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 1.75
Cubic Feet 12
Ship Weight 43

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2774	2902	3026	3154	3283	3410	3538	3665

DRT36D20-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 1.75
Cubic Feet 15
Ship Weight 47

OPTIONS –

Moisture barrier +85
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	2898	3042	3181	3322	3463	3605	3746	3888

DRT42D16-U-S

DESCRIPTION –

Drum Table
With Solid Surface top
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 2
Cubic Feet 16
Ship Weight 55

OPTIONS –

Moisture barrier +75
Power/USB A+C* +395



LOCATED
TOP CENTER




POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	3113	3267	3423	3577	3734	3887	4043	4198

All prices are in US dollars (USD).



DRT20D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
20" x 16"




DIMENSIONS –

Width 20
Height 16
COM Yard 2
Cubic Feet 4
Ship Weight 41

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL-S	2608	2658	2710	2761	2813	2864	2917	2968

DRT20D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
20" x 20"




DIMENSIONS –

Width 20
Height 20
COM Yard 2
Cubic Feet 5
Ship Weight 44

OPTIONS –

Moisture barrier +40
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL-S	2766	2828	2892	2957	3021	3085	3150	3214

DRT24D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
24" x 16"




DIMENSIONS –

Width 24
Height 16
COM Yard 2.25
Cubic Feet 5
Ship Weight 57

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL-S	2979	3053	3130	3207	3284	3359	3430	3515

Bora

Occasional Table Collection

All prices are in US dollars (USD).



DRT24D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
24" x 20"




DIMENSIONS –

Width 24
Height 20
COM Yard 2.25
Cubic Feet 7
Ship Weight 60

OPTIONS –

Moisture barrier +55
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	3136	3223	3311	3403	3491	3578	3670	3762

DRT30D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
30" x 16"




DIMENSIONS –

Width 30
Height 16
COM Yard 2.75
Cubic Feet 8
Ship Weight 85

OPTIONS –

Moisture barrier +45
Power/USB A+C* +395



*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3350	3448	3548	3653	3754	3852	3958	4063

DRT30D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
30" x 20"




DIMENSIONS –

Width 30
Height 20
COM Yard 2.75
Cubic Feet 10
Ship Weight 90

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395




*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3505	3619	3733	3847	3960	4074	4188	4302

Bora
Occasional Table Collection

All prices are in US dollars (USD).



DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
36" x 16"



DIMENSIONS –

Width 36
Height 16
COM Yard 1.75
Cubic Feet 12
Ship Weight 115

OPTIONS –

Moisture barrier +70
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	3901	4027	4155	4283	4410	4538	4666	4793

DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
36" x 20"



DIMENSIONS –

Width 36
Height 20
COM Yard 1.75
Cubic Feet 15
Ship Weight 118

OPTIONS –

Moisture barrier +85
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	4121	4261	4404	4545	4687	4828	4971	5112

DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base
With Solid Surface top
42" x 16"



DIMENSIONS –

Width 42
Height 16
COM Yard 2
Cubic Feet 16
Ship Weight 150

OPTIONS –

Moisture barrier +75
Power/USB A+C* +395



LOCATED
TOP CENTER



POWER WITH
2 USB PORTS

*Not recommended for use in high-risk patient areas

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	4431	4586	4741	4895	5051	5205	5361	5517