

**Bora**

Occasional Table Collection

When ordering this product, specification codes must be added to unit Model Number, as shown below.

NOTE: Upholstery and/or additional options must be specified separately.

Bora



METAL BASE  
FINISH -

MODEL  
NUMBER -

METAL BASE  
FINISH -


**DRT20D16-U -CH**

- GM** Gunmetal
- MB** Metallic Beige
- SB** Smooth Black
- SS** Smooth Silver
- TB** Textured Black
- TN** Textured Nickel

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT20D16-U**

DESCRIPTION –

Drum Table  
20" x 16"



DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 19

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U	1631	1679	1726	1773	1820	1868	1916	1963

**DRT20D20-U**

DESCRIPTION –

Drum Table  
20" x 20"




DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 23

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U	1691	1750	1808	1867	1926	1982	2043	2101

**DRT24D16-U**

DESCRIPTION –

Drum Table  
24" x 16"




DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.25  
Cubic Feet 5  
Ship Weight 26

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U	1751	1821	1890	1960	2030	2100	2170	2240

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT24D20-U**

DESCRIPTION -

Drum Table  
24" x 20"



DIMENSIONS -

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 30

OPTIONS -

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U	1811	1893	1972	2053	2136	2217	2300	2381

**DRT30D16-U**

DESCRIPTION -

Drum Table  
30" x 16"



DIMENSIONS -

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 35

OPTIONS -

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U	1872	1964	2055	2147	2241	2332	2427	2521

**DRT30D20-U**

DESCRIPTION -

Drum Table  
30" x 20"



DIMENSIONS -

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 41

OPTIONS -

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED SIDE FRONT




POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U	1929	2034	2137	2241	2346	2449	2553	2657

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT36D16-U**

DESCRIPTION –

Drum Table  
36" x 16"



DIMENSIONS –

Width 36  
Height 16  
COM Yard 2.75  
Cubic Feet 12  
Ship Weight 43

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U	2045	2161	2277	2394	2510	2627	2744	2861

**DRT36D20-U**

DESCRIPTION –

Drum Table  
36" x 20"



DIMENSIONS –

Width 36  
Height 20  
COM Yard 2.75  
Cubic Feet 15  
Ship Weight 47

OPTIONS –

Moisture barrier +85  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U	2160	2289	2417	2546	2676	2805	2935	3065

**DRT42D16-U**

DESCRIPTION –

Drum Table  
42" x 16"



DIMENSIONS –

Width 42  
Height 16  
COM Yard 3.25  
Cubic Feet 16  
Ship Weight 55

OPTIONS –

Moisture barrier +75  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U	2274	2416	2558	2699	2842	2983	3125	3268

## Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

# Bora

### DRT20D16-U-PL

DESCRIPTION –

Drum Table, plinth base  
20" x 16"



DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 41

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2152	2198	2246	2293	2341	2387	2436	2484

### DRT20D20-U-PL

DESCRIPTION –

Drum Table, plinth base  
20" x 20"



DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 44

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2297	2354	2413	2472	2531	2589	2648	2707

### DRT24D16-U-PL

DESCRIPTION –

Drum Table, plinth base  
24" x 16"



DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.25  
Cubic Feet 5  
Ship Weight 57

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2442	2510	2580	2652	2722	2790	2862	2933

## Bora

### Occasional Table Collection

All prices are in CA dollars (CAD).

# Bora

### DRT24D20-U-PL

#### DESCRIPTION –

Drum Table, plinth base  
24" x 20"



#### DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 60

#### OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2586	2666	2747	2831	2912	2992	3075	3159

### DRT30D16-U-PL

#### DESCRIPTION –

Drum Table, plinth base  
30" x 16"




#### DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 85

#### OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	2731	2822	2914	3010	3102	3193	3289	3385

### DRT30D20-U-PL

#### DESCRIPTION –

Drum Table, plinth base  
30" x 20"



#### DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 90

#### OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	2875	2979	3083	3187	3291	3395	3499	3603

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT36D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
36" x 16"



DIMENSIONS –

Width 36  
Height 16  
COM Yard 2.75  
Cubic Feet 12  
Ship Weight 115

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3076	3193	3310	3426	3543	3660	3777	3893

**DRT36D20-U-PL**

DESCRIPTION –

Drum Table, plinth base  
36" x 20"



DIMENSIONS –

Width 36  
Height 20  
COM Yard 2.75  
Cubic Feet 15  
Ship Weight 118

OPTIONS –

Moisture barrier +85  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3278	3407	3537	3666	3795	3925	4055	4186

**DRT42D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
42" x 16"



DIMENSIONS –

Width 42  
Height 16  
COM Yard 3.25  
Cubic Feet 16  
Ship Weight 150

OPTIONS –

Moisture barrier +75  
A/C receptacle with USB port +395



LOCATED SIDE FRONT




POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3481	3622	3764	3905	4048	4189	4331	4474

## Bora

### Occasional Table Collection

All prices are in CA dollars (CAD).



#### DRT20D16-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
20" x 16"



##### DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 19

##### OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	1865	1912	1959	2007	2054	2101	2149	2197

#### DRT20D20-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
20" x 20"



##### DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 23

##### OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	1925	1983	2042	2100	2160	2217	2277	2335

#### DRT24D16-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
24" x 16"



##### DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.5  
Cubic Feet 5  
Ship Weight 26

##### OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	2034	2105	2174	2243	2313	2384	2454	2524



## Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

# Bora

### DRT24D20-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
24" x 20"



DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 30

OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2095	2176	2256	2337	2419	2500	2583	2665

### DRT30D16-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
30" x 16"



DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 35

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2205	2297	2388	2480	2574	2665	2760	2854

### DRT30D20-U-S

DESCRIPTION –

Drum Table, solid surface top  
With solid surface top  
30" x 20"



DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 41

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2262	2367	2470	2574	2679	2782	2885	2990

## Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

# Bora

### DRT36D16-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
36" x 16"



DIMENSIONS –

Width 36  
Height 16  
COM Yard 1.75  
Cubic Feet 12  
Ship Weight 43

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2538	2655	2770	2887	3003	3120	3237	3354

### DRT36D20-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
36" x 20"



DIMENSIONS –

Width 36  
Height 20  
COM Yard 1.75  
Cubic Feet 15  
Ship Weight 47

OPTIONS –

Moisture barrier +85  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	2653	2783	2910	3039	3169	3299	3428	3558

### DRT42D16-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
42" x 16"



DIMENSIONS –

Width 42  
Height 16  
COM Yard 2  
Cubic Feet 16  
Ship Weight 55

OPTIONS –

Moisture barrier +75  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	2849	2990	3132	3274	3416	3557	3700	3843

## Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

### DRT20D16-U-PL-S

#### DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 16"



#### DIMENSIONS –

Width 20

Height 16

COM Yard 2

Cubic Feet 4

Ship Weight 41

#### OPTIONS –

Moisture barrier +40

A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL-S	2386	2432	2480	2526	2574	2622	2669	2717

### DRT20D20-U-PL-S

#### DESCRIPTION –

Drum Table, plinth base

With solid surface top

20" x 20"



#### DIMENSIONS –

Width 20

Height 20

COM Yard 2

Cubic Feet 5

Ship Weight 44

#### OPTIONS –

Moisture barrier +40

A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL-S	2531	2588	2646	2706	2764	2823	2882	2941

### DRT24D16-U-PL-S

#### DESCRIPTION –

Drum Table, plinth base

With solid surface top

24" x 16"



#### DIMENSIONS –

Width 24

Height 16

COM Yard 2.25

Cubic Feet 5

Ship Weight 57

#### OPTIONS –

Moisture barrier +45

A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL-S	2725	2794	2864	2935	3004	3074	3139	3216

## Bora

Occasional Table Collection

All prices are in CA dollars (CAD).

Bora

### DRT24D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
24" x 20"



DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 60

OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	2870	2949	3030	3115	3195	3275	3358	3442

### DRT30D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
30" x 16"



DIMENSIONS –


Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 85

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3065	3156	3248	3343	3435	3526	3622	3718

### DRT30D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
30" x 20"



DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 90

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER




POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3208	3313	3415	3520	3624	3728	3832	3937

**Bora**

Occasional Table Collection

All prices are in CA dollars (CAD).



**DRT36D16-U-PL-S**

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 16"



DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 115


OPTIONS –

Moisture barrier +70

A/C receptacle with USB port +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	3570	3686	3803	3919	4036	4153	4270	4385

**DRT36D20-U-PL-S**

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 20"



DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 118


OPTIONS –

Moisture barrier +85

A/C receptacle with USB port +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	3771	3900	4030	4159	4288	4418	4549	4679

**DRT42D16-U-PL-S**

DESCRIPTION –

Drum Table, plinth base

With solid surface top

42" x 16"



DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier +75

A/C receptacle with USB port +395



LOCATED TOP CENTER



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	4055	4196	4339	4480	4622	4763	4906	5048