

**Bora**

Occasional Table Collection

When ordering this product, specification codes must be added to unit Model Number, as shown below.

NOTE: Upholstery and/or additional options must be specified separately.

Bora



METAL BASE  
FINISH -

MODEL  
NUMBER -

METAL BASE  
FINISH -


**DRT20D16-U -CH**

- GM** Gunmetal
- MB** Metallic Beige
- SB** Smooth Black
- SS** Smooth Silver
- TB** Textured Black
- TN** Textured Nickel

**Bora**

Occasional Table Collection

All prices are in US dollars (USD).



**DRT20D16-U**

DESCRIPTION -

Drum Table  
20" x 16"




DIMENSIONS -

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 19

OPTIONS -

Moisture barrier +40  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U	1600	1647	1693	1740	1785	1832	1879	1926

**DRT20D20-U**

DESCRIPTION -

Drum Table  
20" x 20"




DIMENSIONS -

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 23

OPTIONS -

Moisture barrier +40  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U	1659	1717	1773	1831	1889	1946	2004	2061

**DRT24D16-U**

DESCRIPTION -

Drum Table  
24" x 16"



DIMENSIONS -

Width 24  
Height 16  
COM Yard 2.25  
Cubic Feet 5  
Ship Weight 26

OPTIONS -

Moisture barrier +45  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U	1718	1787	1854	1923	1991	2060	2129	2198

**Bora**

Occasional Table Collection

All prices are in US dollars (USD).



**DRT24D20-U**

DESCRIPTION -

Drum Table  
24" x 20"



DIMENSIONS -

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 30

OPTIONS -

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U	1777	1856	1935	2014	2095	2175	2256	2336

**DRT30D16-U**

DESCRIPTION -

Drum Table  
30" x 16"



DIMENSIONS -

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 35

OPTIONS -

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U	1836	1926	2016	2106	2199	2288	2381	2473

**DRT30D20-U**

DESCRIPTION -

Drum Table  
30" x 20"



DIMENSIONS -

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 41

OPTIONS -

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U	1893	1995	2096	2199	2301	2402	2504	2607

## Bora

### Occasional Table Collection

All prices are in US dollars (USD).

# Bora

#### DRT36D16-U

##### DESCRIPTION -

Drum Table  
36" x 16"



##### DIMENSIONS -

Width 36  
Height 16  
COM Yard 2.75  
Cubic Feet 12  
Ship Weight 43

##### OPTIONS -

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U	2006	2120	2234	2348	2462	2577	2691	2806

#### DRT36D20-U

##### DESCRIPTION -

Drum Table  
36" x 20"



##### DIMENSIONS -

Width 36  
Height 20  
COM Yard 2.75  
Cubic Feet 15  
Ship Weight 47

##### OPTIONS -

Moisture barrier +85  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U	2119	2246	2371	2497	2625	2752	2880	3007

#### DRT42D16-U

##### DESCRIPTION -

Drum Table  
42" x 16"



##### DIMENSIONS -

Width 42  
Height 16  
COM Yard 3.25  
Cubic Feet 16  
Ship Weight 55

##### OPTIONS -

Moisture barrier +75  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U	2231	2370	2509	2648	2788	2926	3066	3206

**Bora**

Occasional Table Collection

All prices are in US dollars (USD).



**DRT20D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
20" x 16"



DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 41

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL	2111	2156	2203	2249	2296	2342	2389	2436

**DRT20D20-U-PL**

DESCRIPTION –

Drum Table, plinth base  
20" x 20"



DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 44

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED SIDE FRONT



POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL	2253	2309	2367	2425	2483	2540	2598	2656

**DRT24D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
24" x 16"



DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.25  
Cubic Feet 5  
Ship Weight 57

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED SIDE FRONT




POWER WITH 2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL	2395	2462	2531	2601	2670	2737	2807	2877

## Bora

### Occasional Table Collection

All prices are in US dollars (USD).



#### DRT24D20-U-PL

##### DESCRIPTION –

Drum Table, plinth base  
24" x 20"



##### DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 60

##### OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL	2537	2615	2695	2777	2856	2935	3017	3099

#### DRT30D16-U-PL

##### DESCRIPTION –

Drum Table, plinth base  
30" x 16"




##### DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 85

##### OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL	2679	2768	2859	2953	3043	3132	3226	3321

#### DRT30D20-U-PL

##### DESCRIPTION –

Drum Table, plinth base  
30" x 20"



##### DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 90

##### OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
SIDE FRONT




POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL	2820	2923	3024	3126	3229	3330	3432	3535

**Bora**

Occasional Table Collection

All prices are in US dollars (USD).



**DRT36D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
36" x 16"




DIMENSIONS –

Width 36  
Height 16  
COM Yard 2.75  
Cubic Feet 12  
Ship Weight 115

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL	3018	3132	3247	3361	3476	3590	3705	3819

**DRT36D20-U-PL**

DESCRIPTION –

Drum Table, plinth base  
36" x 20"




DIMENSIONS –

Width 36  
Height 20  
COM Yard 2.75  
Cubic Feet 15  
Ship Weight 118

OPTIONS –

Moisture barrier +85  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL	3215	3342	3470	3596	3723	3850	3978	4106

**DRT42D16-U-PL**

DESCRIPTION –

Drum Table, plinth base  
42" x 16"




DIMENSIONS –

Width 42  
Height 16  
COM Yard 3.25  
Cubic Feet 16  
Ship Weight 150

OPTIONS –

Moisture barrier +75  
A/C receptacle with USB port +395




MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL	3414	3553	3693	3831	3971	4109	4249	4389

## Bora

### Occasional Table Collection

All prices are in US dollars (USD).



#### DRT20D16-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
20" x 16"



##### DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 19

##### OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-S	1829	1876	1921	1969	2015	2061	2108	2155

#### DRT20D20-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
20" x 20"



##### DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 23

##### OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-S	1888	1946	2003	2060	2119	2175	2233	2290

#### DRT24D16-U-S

##### DESCRIPTION –

Drum Table  
With solid surface top  
24" x 16"



##### DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.5  
Cubic Feet 5  
Ship Weight 26

##### OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-S	1996	2065	2132	2200	2269	2338	2407	2476



## Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

### DRT24D20-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
24" x 20"



DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 30

OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-S	2055	2135	2213	2293	2373	2453	2533	2614

### DRT30D16-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
30" x 16"



DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 35

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-S	2163	2253	2342	2433	2525	2614	2707	2800

### DRT30D20-U-S

DESCRIPTION –

Drum Table, solid surface top  
With solid surface top  
30" x 20"



DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 41

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-S	2219	2322	2423	2525	2628	2729	2830	2933

## Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

### DRT36D16-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
36" x 16"



DIMENSIONS –

Width 36  
Height 16  
COM Yard 1.75  
Cubic Feet 12  
Ship Weight 43

OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-S	2490	2605	2717	2832	2946	3061	3175	3290

### DRT36D20-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
36" x 20"



DIMENSIONS –

Width 36  
Height 20  
COM Yard 1.75  
Cubic Feet 15  
Ship Weight 47

OPTIONS –

Moisture barrier +85  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-S	2602	2730	2855	2981	3108	3236	3363	3490

### DRT42D16-U-S

DESCRIPTION –

Drum Table  
With solid surface top  
42" x 16"



DIMENSIONS –

Width 42  
Height 16  
COM Yard 2  
Cubic Feet 16  
Ship Weight 55

OPTIONS –

Moisture barrier +75  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER




POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-S	2794	2933	3072	3211	3351	3489	3629	3769

**Bora**

Occasional Table Collection

All prices are in US dollars (USD).



**DRT20D16-U-PL-S**

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
20" x 16"



DIMENSIONS –

Width 20  
Height 16  
COM Yard 2  
Cubic Feet 4  
Ship Weight 41

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D16-U-PL-S	2340	2386	2433	2478	2525	2572	2618	2665

**DRT20D20-U-PL-S**

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
20" x 20"



DIMENSIONS –

Width 20  
Height 20  
COM Yard 2  
Cubic Feet 5  
Ship Weight 44

OPTIONS –

Moisture barrier +40  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT20D20-U-PL-S	2483	2539	2596	2654	2712	2769	2827	2885

**DRT24D16-U-PL-S**

DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
24" x 16"



DIMENSIONS –

Width 24  
Height 16  
COM Yard 2.25  
Cubic Feet 5  
Ship Weight 57

OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D16-U-PL-S	2673	2470	2809	2879	2947	3015	3079	3155

## Bora

### Occasional Table Collection

All prices are in US dollars (USD).

# Bora

#### DRT24D20-U-PL-S

##### DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
24" x 20"



##### DIMENSIONS –

Width 24  
Height 20  
COM Yard 2.25  
Cubic Feet 7  
Ship Weight 60

##### OPTIONS –

Moisture barrier +55  
A/C receptacle with USB port +395



LOCATED  
TOP REAR



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT24D20-U-PL-S	2816	2893	2973	3055	3134	3212	3294	3377

#### DRT30D16-U-PL-S

##### DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
30" x 16"



##### DIMENSIONS –

Width 30  
Height 16  
COM Yard 2.75  
Cubic Feet 8  
Ship Weight 85

##### OPTIONS –

Moisture barrier +45  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D16-U-PL-S	3007	3096	3186	3279	3369	3459	3553	3647

#### DRT30D20-U-PL-S

##### DESCRIPTION –

Drum Table, plinth base  
With solid surface top  
30" x 20"



##### DIMENSIONS –

Width 30  
Height 20  
COM Yard 2.75  
Cubic Feet 10  
Ship Weight 90

##### OPTIONS –

Moisture barrier +70  
A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT30D20-U-PL-S	3147	3250	3350	3453	3555	3657	3759	3862

## Bora

Occasional Table Collection

All prices are in US dollars (USD).

Bora

### DRT36D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 16"



DIMENSIONS –

Width 36

Height 16

COM Yard 1.75

Cubic Feet 12

Ship Weight 115

OPTIONS –

Moisture barrier +70

A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D16-U-PL-S	3502	3616	3730	3845	3959	4074	4188	4302

### DRT36D20-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

36" x 20"



DIMENSIONS –

Width 36

Height 20

COM Yard 1.75

Cubic Feet 15

Ship Weight 118

OPTIONS –

Moisture barrier +85

A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT36D20-U-PL-S	3699	3826	3953	4080	4206	4334	4462	4589

### DRT42D16-U-PL-S

DESCRIPTION –

Drum Table, plinth base

With solid surface top

42" x 16"



DIMENSIONS –

Width 42

Height 16

COM Yard 2

Cubic Feet 16

Ship Weight 150

OPTIONS –

Moisture barrier +75

A/C receptacle with USB port +395



LOCATED  
TOP CENTER



POWER WITH  
2 USB PORTS

MODEL NO.	COM/1	2	3	4	5	6	7	8
DRT42D16-U-PL-S	3977	4116	4256	4394	4534	4672	4812	4952